

USER MANUAL

FuelTank Classic





CONGRATULATIONS ON YOUR PURCHASE OF THE T-REX FUELTANK CLASSIC

The tough and flexible multiple power supply. Whatever weird and wonderful effects you're using, FuelTank Classic is guaranteed to keep you rocking!

Your FuelTank Classic is actually three different power sources in one box. So get connected, draw your juice from the 500mA of 9V DC, 12V DC and 12 V AC supplied by one FuelTank - and get on down!

WHAT YOU GET

- 1 T-Rex FuelTank Classic
- 1 Mains power cable
- 1 Red 50 cm DC cable with 2.1mm-2.5mm connectors for use on the 12V AC output port
- 1 Blue 50 cm AC cable with 2.5mm-2.5mm connectors for use on the 12V AC output port
- 1 Black link cable with five 2.1mm-2.1mm connectors
- 1 Black 50 cm DC cable with 2.1mm DC-3.5mm mini-jack connectors
- 8 Black 50 cm DC cables with 2.1mm-2.1mm connectors
- 8 Black 20 cm DC cables with 2.1mm-2.1mm connectors

HOW TO USE THE FUEL TANK CLASSIC

Connect the FuelTank Classic to your mains supply.

Check your effect units to make sure that the poles match those on the FuelTank power ports. (This is very important. "Minus" must be on the centre pin.)

Plug your boxes into the relevant power ports, turn them on and start laying down the grooves!



TECHNICAL SPECIFICATIONS	
Size Box	160x78x38 mm
Power supply	Internal, coms with country appropriate IEC power cable.
Connections	<p>8 x 9V DC output plugs, all sharing the same ground. Giving a total of 500 mA.</p> <p>1 x 12V DC output with isolated ground, giving 500 mA.</p> <p>1 x 12V AC output with isolated ground, giving 500 mA.</p>
Weight (power supply in box)	1,1 kg



TROUBLESHOOTING

My effects sound awful

You're probably drawing more than 500 mA per section. Check your effects for how much power they require and disconnect accordingly. You're in America and you've forgotten to switch the mains selector over to 115 volts. The FuelTank Classic is on, but my effects aren't. Is everything plugged in and switched on? Did you check the polarity of your effects? Hurry up and disconnect the power, then check that the polarity is correct. Remember, minus must be on the centre pin.

I can hear an irritating hum

This sometimes occurs when numbers of effects are connected together in series. Try using the link cable to connect the first five effects units. Some pedals generate more background noise than others. Try moving your FuelTank Classic and placing your noisiest pedals furthest away from it.

The FuelTank Classic power light isn't on

If you haven't forgotten to turn on the mains supply, there's been a short-circuit. Turn off the FuelTank Classic immediately and check all units thoroughly. For example, is the FuelTank mains cable connected properly? Are all the effects' polarities correct? Are you home from America and have forgotten to switch the mains selector back to 230 volts?

If you cannot find the problem, contact your local T-Rex dealer. Do NOT – repeat NOT – take the Fuel Tank apart yourself.

T-REX WARRANTY CONDITIONS

T-Rex offers a 2-year warranty on all our products. In the unlikely event of a malfunction, please contact our technical support at info@t-rex-engineering.com before sending us the product for repair. When the product has been sent to us at sender's cost, we will repair or replace your product and send it back to you - free of charge and usually within 3 weeks (shipping not included). The product needs to be accompanied by a copy of your receipt, serial number, return address, phone number, e-mail address and a brief explanation of the problem. Please note that we cannot replace a product until we have received it here in Denmark.

The warranty is lost if the product has been damaged by alteration, misuse, accident, or neglect; or if the product has been repaired or serviced by persons not authorized by T-Rex. Read more about warranty conditions at www.t-rex-engineering.com.

ABOUT T-REX

Based in Vejle, Denmark, T-Rex Engineering makes classic and signature effects pedals for the world's best musicians. Our approach blends hi-tech innovation with old-world craftsmanship – always in the service of killer tone.

EU REGULATIONS • ENVIRONMENT PROTECTION

T-Rex accepts and follows the regulations and directives issued by the EU. We find these environment protecting regulations very good, and we are happy to follow them.



ISSUED IN VEJLE, 2006



Steen Meldgaard Laursen
Managing Director



Lars Dahl-Jørgensen
Development Director



Sebastian Jensen
Production Director



T-Rex Engineering ApS, Tel.: +45 75 72 71 81, Fax: +45 75 72 71 98
www.t-rex-engineering.com • mail: info@t-rex-engineering.com