

USER MANUAL

REPTILE





CONGRATULATIONS

on your purchase of Reptile, a brand new member of the renowned Replica family of delay pedals from T-Rex Engineering.

Reptile offers a full range of advanced delay features – including tape-delay flutter simulation – in a compact, intuitively designed unit. And of course it delivers loads of incredible warm tone that you'll only find in a T-Rex pedal.

Turn the page to learn about the controls on your Reptile. And please handle it with care... because this baby bites!

CONTROL YOUR REPTILE!

The main controls on your Reptile are the ECHO, REPEAT, TIME and LEVEL knobs, while the FLUTTER DEPTH & SPEED knobs and the MODULATION button provide further options.

ECHO determines the mix of direct and delayed signal. Turn it down for a subtler natural effect, and crank it up for doubling or freaky long delay effects.

The REPEAT knob lets you control the number of times a sound is repeated – from just once to a virtual infinity.

TIME determines the rate of your echo repeats and can be adjusted from 10 to 1,000 ms. TIP: to experiment, try tuning in a classic 50s slap-back sound by combining a fast time with a low repeat value.

The FLUTTER DEPTH & SPEED controls let you simulate that great tape-delay “warbled” effect, while the MODULATION button subtly alters the character of your delay.

Note: The INPUT LEVEL knob on the side of your Reptile eliminates overdrive distortion caused by too high an input signal. Keep it set just below where the red light comes on.

TECHNICAL SPECIFICATIONS

| | |
|------------------------------|--|
| Input Impedance@1KHz | 434 KOhm |
| Output Impedance@1KHZ | 26 Ohm |
| Power Supply | 9V DC (Power tool 9) |
| Minimum Power supply Voltage | 8,5V DC |
| Maximum Power supply Voltage | 12,5V DC |
| Current Draw @ 9V DC | 124mA |
| Maximum Input signal Vp/p | Adjustable |
| Battery Type | 9V battery 6F22 |
| Battery Life | 1/2 to 1 Hour |
| External Connectors | Input Jack, Output Jack, 9V DC Jack |
| Controls | On/Off, Modulation, Level, Time Echo Repeat Flutter, Speed |
| Depth | 120 mm |
| Width | 100 mm |
| Height | 55 mm |
| Weight (excl. battery) | 0,430 kg |

T-REX WARRANTY CONDITIONS

T-Rex offers a 2-year warranty on all our products. In the unlikely event of a malfunction, please contact our technical support at info@t-rex-engineering.com before sending us the product for repair. When the product has been sent to us at sender's cost, we will repair or replace your product and send it back to you - free of charge and usually within 3 weeks (shipping not included). The product needs to be accompanied by a copy of your receipt, serial number, return address, phone number, e-mail address and a brief explanation of the problem. Please note that we cannot replace a product until we have received it here in Denmark.

The warranty is lost if the product has been damaged by alteration, misuse, accident, or neglect; or if the product has been repaired or serviced by persons not authorized by T-Rex. Read more about warranty conditions at www.t-rex-engineering.com.

ABOUT T-REX

Based in Vejle, Denmark, T-Rex Engineering makes classic and signature effects pedals for the world's best musicians. Our approach blends hi-tech innovation with old-world craftsmanship – always in the service of killer tone.

EU REGULATIONS • ENVIRONMENT PROTECTION

T-Rex accepts and follows the regulations and directives issued by the EU. We find these environment protecting regulations very good, and we are happy to follow them.



ISSUED IN VEJLE, 2008



Steen Meldgaard Laursen
Managing Director



Lars Dahl-Jørgensen
Development Director



Sebastian Jensen
Production Director

